

## Quassel IRC - Feature #374

### Hide "away on detach" messages in status buffer

10/29/2008 12:40 PM - thomas

<b>Status:</b>	Resolved	<b>Start date:</b>	
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	EgS	<b>% Done:</b>	0%
<b>Category:</b>	Quassel Client	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	0.3.1		
<b>OS:</b>	Any		
<b>Description</b>			
It would be nice to have an option to hide the messages generated by away on detach in status buffers.			

#### Associated revisions

---

**Revision 3c635083917c68f15c10ec56c4a6a9d01a2593f9 - 11/01/2008 05:00 PM - Marcus Eggenberger**

Fixing BR #374 (hide marked as away messages when using away on detach)

**Revision 3c635083 - 11/01/2008 05:00 PM - Marcus Eggenberger**

Fixing BR #374 (hide marked as away messages when using away on detach)

#### History

---

**#1 - 11/01/2008 05:01 PM - EgS**

Fixed in current git:

<http://git.quassel-irc.org/?p=quassel.git;a=commit;h=3c635083917c68f15c10ec56c4a6a9d01a2593f9>