

Quassel IRC - Bug #1374

don't keep default focus on text input field

08/11/2015 01:04 PM - riteshsarraf

Status:	New	Start date:	08/11/2015
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Quassel GUI (Qt)	Estimated time:	0.00 hour
Target version:		OS:	Any
Version:	0.10.0		

Description

Filed on Debian BTS: <https://bugs.debian.org/cgi-bin/bugreport.cgi?bug=792211>

Package: quassel-client-kde4

Version: 1:0.10.0-2.4

Severity: normal

As the subject says, the problem is the way quassel decides to keep its active region.

Assume a user changes from one channel to another, the focus remains in the text input field.

This ends up triggering the On-Screen Keyboard every time you do an activity, which does not involve with text input.

If not by default, please provide an option to change it

-- System Information:

Debian Release: stretch/sid

APT prefers testing

APT policy: (990, 'testing'), (500, 'unstable'), (101, 'experimental')

Architecture: amd64 (x86_64)

Foreign Architectures: i386

Kernel: Linux 4.1.2+ (SMP w/4 CPU cores)

Locale: LANG=en_IN.utf8, LC_CTYPE=en_IN.utf8 (charmap=UTF-8)

Shell: /bin/sh linked to /bin/dash

Init: systemd (via /run/systemd/system)

Versions of packages quassel-client-kde4 depends on:

ii dbus-x11 1.8.18-1

ii gawk 1:4.1.1+dfsg-1

ii kde-runtime 4:4.14.2-2

ii libc6 2.19-18

ii libdbusmenu-qt2 0.9.3+15.10.20150604-1

ii libgcc1 1:5.1.1-12

ii libindicate-qt1 0.2.5.91-5

ii libkdecore5 4:4.14.2-5

ii libkdeui5 4:4.14.2-5

ii libknotifyconfig4 4:4.14.2-5

ii libqt4-dbus 4:4.8.7+dfsg-1

ii libqt4-network 4:4.8.7+dfsg-1

ii libqt4-svg 4:4.8.7+dfsg-1

ii libqt4-xmlpatterns 4:4.8.7+dfsg-1

ii libqtcore4 4:4.8.7+dfsg-1

ii libqtgui4 4:4.8.7+dfsg-1

ii libqtwebkit4 2.3.4.dfsg-3

ii libsolid4 4:4.14.2-5

ii libstdc++6 5.1.1-12

ii quassel-data-kde4 1:0.10.0-2.4

ii zlib1g 1:1.2.8.dfsg-2+b1

quassel-client-kde4 recommends no packages.

quassel-client-kde4 suggests no packages.

-- no debconf information