

Quassel IRC - Bug #1378

Quassel should not show wallops as operwalls

08/19/2015 01:00 PM - gry

Status:	New	Start date:	08/19/2015
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		OS:	Any
Version:	0.10.0		

Description

Steps:
1) Send a wallop.

Expected result:
20:50:09 WALLOP mist: Wallop!

Actual result:
[20:50:09] * [Operwall] mist: Wallop!

Context:

Wallops and operwalls are different things.

OPERWALL :<message>
Sends an OPERWALL message of <message> to all
opers who are umode +z
- Requires Oper Priv: oper:operwall

WALLOPS :<message>
Sends a WALLOPS message of <message> to all users
who are umode +w (including non-ops).
Server sent WALLOPS go to all opers who are umode +w.
- Requires Oper Priv: oper:mass_notice

History

#1 - 08/19/2015 01:05 PM - gry

<https://github.com/quassel/quassel/blob/92490c7390f21d59a0df540c4bdcbb1de69e7e8e/src/core/eventstringifier.cpp#L347>

```
void EventStringifier::processIrcEventWallops(IrcEvent *e) {  
    displayMsg(e, Message::Server, tr("[Operwall] %1: %2").arg(e->nick(), e->params().join(" ")));  
}
```

I don't really understand where Quassel processes the "real" operwalls now...