

Quassel IRC - Feature #313

Quassel attempts to rejoin channels before identifying to NickServ

09/09/2008 09:07 AM - TerrorBite

Status:	Resolved	Start date:	
Priority:	High	Due date:	
Assignee:	Sputnick	% Done:	0%
Category:	Quassel Core	Estimated time:	0.00 hour
Target version:			
OS:	Any		

Description

Quassel attempts to rejoin channels before identifying to NickServ, which means that +R or "registered nicks only" channels are not rejoined.

Solutions:

- 1) Delay rejoin of all channels until a second or two after identify.
- 2) Attempt immediate rejoin of all channels, but handle "You need a registered nick" responses and compile a list of failed rejoins, then reattempt rejoin of those failed channels a second or two after identify.

History

#1 - 09/29/2008 12:06 AM - Sputnick

No trivial fix for this one in sight, will probably have to wait until we get scripting support, since I don't like hardcoding stuff like that in the client.

Solution 1 *might* be implementable, but it's not pretty.

For Freenode, there is a workaround that makes much more sense: Use your nickserv password as server password. That way, you will log on already being registered, and the problem goes ago.

Unless somebody tells me he has problems with this issue in a network that does not provide such a workaround, I'll close this as WONTFIX. Feel free to reopen and convince me :)