

Quassel IRC - Bug #749

quassel doesn't boot on debian testing

07/23/2009 06:59 PM - ale

Status:	Resolved	Start date:	07/23/2009
Priority:	High	Due date:	
Assignee:		% Done:	0%
Category:	Quassel Client	Estimated time:	0.00 hour
Target version:		OS:	Linux
Version:	0.4.1		

Description

in debian testing, with a somehow minimal install i get the following error:

```
$ quassel
Quassel IRC: "0.4.2" "875f62ce1fc53806d4856347b0c0bc699e4b154c"

1. 0 quassel      0x0831c362 Quassel::logBacktrace(QString const&)
2. 1 quassel      0x08302ac8 Quassel::handleSignal(int)
3. 2              0xb7f5a400 __kernel_sigreturn
4. 3 libQtDBus.so.4 0xb7cf55ec 0x00000000
5. 4 libQtDBus.so.4 0xb7cf6082 QDBusPendingReplyData::setMetaTypes(int, int const*)
6. 5 quassel      0x080fc51c DesktopNotificationBackend::DesktopNotificationBackend(QObject*)
7. 6 quassel      0x080ee7e2 MainWin::init()
8. 7 quassel      0x080d6f6e QtUiApplication::init()
9. 8 quassel      0x080d529c MonolithicApplication::init()
10. 9 quassel     0x080d3c36 main
11. 10 libc.so.6   0xb5f38775 __libc_start_main
12. 11 quassel    0x080d2a71 0x00000000
```

line 5 attired my attention: i don't have any desktop environment installed... may it be the cause of the problem?

the error happens with quassel 0.4.1, both with a self compiled and the binary version from the debian repositories

History

#1 - 07/23/2009 10:44 PM - DeepDiver

Hi,

as the debian maintainer - allow me to answer:

quassel is the monolithic client - quassel-core and quassel-client live in one process. Without a graphic desktop it cannot work.

Most likly you want run the core only on the desktop free server - right?

You need to install the package quassel-core.

Give it a try and let me/us know.

DeepDiver

#2 - 07/24/2009 08:28 AM - ale

hi deeeperdiver

as the debian maintainer - allow me to answer:

quassel is the monolithic client - quassel-core and quassel-client live in one process. Without a graphic desktop it cannot work.

Most likly you want run the core only on the desktop free server - right?

You need to install the package quassel-core.

no, i want to run the monolithic client on my workstation...

i have an older laptop with a very similar configuration and quassel works correctly there. it looks like, that in a newer version, there is a dependency

which is not pulled in.

i have installed debian without the "desktop" option and "manually" installed X11 and the window manager (wmii).

thanks for caring.
a.l.e

#3 - 07/24/2009 08:51 AM - dalbers

Can you show us the output of a `dpkg -l libqt4* quassel*` and `ldd -v /usr/bin/quassel` please?

#4 - 07/24/2009 06:11 PM - ale

dalbers wrote:

Can you show us the output of a `dpkg -l libqt4* quassel*` and `ldd -v /usr/bin/quassel` please?

1. `dpkg -l libqt4* quassel*`

Desired=Unknown/Install/Remove/Purge/Hold | Status=Not/Inst/Cfg-files/Unpacked/Failed-cfg/Half-inst/trig-aWait/Trig-pend |
Err?=(none)/Hold/Reinst-required/X=both-problems (Status,Err: uppercase=bad) ||/ Name Version
Description

```

++++=====
=====
ii libqt4-assistant      4.5.1-2      Qt 4 assistant module
un libqt4-core          <none>       (no description available)
ii libqt4-dbus          4.5.1-2      Qt 4 D-Bus module
ii libqt4-designer      4.5.1-2      Qt 4 designer module
ii libqt4-dev           4.5.1-2      Qt 4 development files
un libqt4-gui           <none>       (no description available)
ii libqt4-help          4.5.1-2      Qt 4 help module
ii libqt4-network       4.5.1-2      Qt 4 network module
ii libqt4-opengl        4.5.1-2      Qt 4 OpenGL module
ii libqt4-opengl-dev    4.5.1-2      Qt 4 OpenGL library development files
ii libqt4-qt3support    4.5.1-2      Qt 3 compatibility library for Qt 4
ii libqt4-script        4.5.1-2      Qt 4 script module
ii libqt4-scripttools   4.5.1-2      Qt 4 script tools module
ii libqt4-sql           4.5.1-2      Qt 4 SQL module
un libqt4-sql-ibase     <none>       (no description available)
ii libqt4-sql-mysql     4.5.1-2      Qt 4 MySQL database driver
un libqt4-sql-odbc      <none>       (no description available)
un libqt4-sql-psql      <none>       (no description available)
ii libqt4-sql-sqlite    4.5.1-2      Qt 4 SQLite 3 database driver
un libqt4-sql-sqlite2   <none>       (no description available)
ii libqt4-svg           4.5.1-2      Qt 4 SVG module
ii libqt4-test          4.5.1-2      Qt 4 test module
ii libqt4-webkit        4.5.1-2      Qt 4 WebKit module
ii libqt4-xml           4.5.1-2      Qt 4 XML module
ii libqt4-xmlpatterns   4.5.1-2      Qt 4 XML patterns module
ii quassel              0.4.2-1      distributed IRC client using a central core component
ii quassel-data         0.4.2-1      distributed IRC client using a central core component

```

1. `ldd -v /usr/bin/quassel`

```

linux-gate.so.1 => (0xb7f0b000)
libQtCore.so.4 => /usr/lib/libQtCore.so.4 (0xb7cbd000)
libQtDBus.so.4 => /usr/lib/libQtDBus.so.4 (0xb7c48000)
libQtGui.so.4 => /usr/lib/libQtGui.so.4 (0xb7255000)
libQtNetwork.so.4 => /usr/lib/libQtNetwork.so.4 (0xb713a000)
libQtScript.so.4 => /usr/lib/libQtScript.so.4 (0xb7022000)
libQtSql.so.4 => /usr/lib/libQtSql.so.4 (0xb6fe5000)
libQtWebKit.so.4 => /usr/lib/libQtWebKit.so.4 (0xb6174000)
libstdc++.so.6 => /usr/lib/libstdc++.so.6 (0xb6082000)
libm.so.6 => /lib/i686/cmov/libm.so.6 (0xb605c000)
libgcc_s.so.1 => /lib/libgcc_s.so.1 (0xb6030000)
libc.so.6 => /lib/i686/cmov/libc.so.6 (0xb5ed0000)
libdl.so.2 => /lib/i686/cmov/libdl.so.2 (0xb5ecc000)
libz.so.1 => /usr/lib/libz.so.1 (0xb5eb7000)
libgthread-2.0.so.0 => /usr/lib/libgthread-2.0.so.0 (0xb5eb1000)
librt.so.1 => /lib/i686/cmov/librt.so.1 (0xb5ea8000)
libglib-2.0.so.0 => /usr/lib/libglib-2.0.so.0 (0xb5df2000)
libpthread.so.0 => /lib/i686/cmov/libpthread.so.0 (0xb5dd9000)
libQtXml.so.4 => /usr/lib/libQtXml.so.4 (0xb5d95000)
libaudio.so.2 => /usr/lib/libaudio.so.2 (0xb5d7e000)
libpng12.so.0 => /usr/lib/libpng12.so.0 (0xb5d5a000)
libfreetype.so.6 => /usr/lib/libfreetype.so.6 (0xb5ce3000)

```

libgobject-2.0.so.0 => /usr/lib/libgobject-2.0.so.0 (0xb5ca6000)
libSM.so.6 => /usr/lib/libSM.so.6 (0xb5c9e000)
libICE.so.6 => /usr/lib/libICE.so.6 (0xb5c86000)
libXrender.so.1 => /usr/lib/libXrender.so.1 (0xb5c7c000)
libfontconfig.so.1 => /usr/lib/libfontconfig.so.1 (0xb5c51000)
libXext.so.6 => /usr/lib/libXext.so.6 (0xb5c43000)
libX11.so.6 => /usr/lib/libX11.so.6 (0xb5b25000)
libsqlite3.so.0 => /usr/lib/libsqlite3.so.0 (0xb5aa3000)
libphonon.so.4 => /usr/lib/libphonon.so.4 (0xb5a5e000)
/lib/ld-linux.so.2 (0xb7f0c000)
libpcre.so.3 => /usr/lib/libpcre.so.3 (0xb5a2d000)
libXt.so.6 => /usr/lib/libXt.so.6 (0xb59dd000)
libXau.so.6 => /usr/lib/libXau.so.6 (0xb59da000)
libuuid.so.1 => /lib/libuuid.so.1 (0xb59d6000)
libexpat.so.1 => /usr/lib/libexpat.so.1 (0xb59af000)
libxcb.so.1 => /usr/lib/libxcb.so.1 (0xb5996000)
libXdmp.so.6 => /usr/lib/libXdmp.so.6 (0xb5991000)

Version information:

/usr/bin/quassel:

libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
libdl.so.2 (GLIBC_2.0) => /lib/i686/cmov/libdl.so.2
libstdc++.so.6 (GLIBCXX_3.4.9) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libQtCore.so.4:
libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
libgcc_s.so.1 (GLIBC_2.0) => /lib/libgcc_s.so.1
librt.so.1 (GLIBC_2.2) => /lib/i686/cmov/librt.so.1
libm.so.6 (GLIBC_2.1) => /lib/i686/cmov/libm.so.6
libm.so.6 (GLIBC_2.2) => /lib/i686/cmov/libm.so.6
libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
libdl.so.2 (GLIBC_2.0) => /lib/i686/cmov/libdl.so.2
libdl.so.2 (GLIBC_2.1) => /lib/i686/cmov/libdl.so.2
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
libc.so.6 (GLIBC_2.1.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.4) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libpthread.so.0 (GLIBC_2.2) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.1) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.3.2) => /lib/i686/cmov/libpthread.so.0
/usr/lib/libQtDBus.so.4:
libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
/usr/lib/libQtGui.so.4:
libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
libgcc_s.so.1 (GLIBC_2.0) => /lib/libgcc_s.so.1
libm.so.6 (GLIBC_2.1) => /lib/i686/cmov/libm.so.6
libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
libpng12.so.0 (PNG12_0) => /usr/lib/libpng12.so.0
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0
libc.so.6 (GLIBC_2.1.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libQtNetwork.so.4:
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
libgcc_s.so.1 (GLIBC_2.0) => /lib/libgcc_s.so.1
libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0

libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 /usr/lib/libQtScript.so.4:
 libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
 libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
 libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libm.so.6 (GLIBC_2.1) => /lib/i686/cmov/libm.so.6
 libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
 /usr/lib/libQtSql.so.4:
 libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
 libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
 libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 /usr/lib/libQtWebKit.so.4:
 libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0
 libpthread.so.0 (GLIBC_2.2.3) => /lib/i686/cmov/libpthread.so.0
 libpthread.so.0 (GLIBC_2.1) => /lib/i686/cmov/libpthread.so.0
 libpthread.so.0 (GLIBC_2.2) => /lib/i686/cmov/libpthread.so.0
 libm.so.6 (GLIBC_2.1) => /lib/i686/cmov/libm.so.6
 libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
 libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
 libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
 libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
 libgcc_s.so.1 (GLIBC_2.0) => /lib/libgcc_s.so.1
 libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 /usr/lib/libstdc++.so.6:
 libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
 ld-linux.so.2 (GLIBC_2.3) => /lib/ld-linux.so.2
 libgcc_s.so.1 (GCC_4.2.0) => /lib/libgcc_s.so.1
 libgcc_s.so.1 (GLIBC_2.0) => /lib/libgcc_s.so.1
 libgcc_s.so.1 (GCC_3.3) => /lib/libgcc_s.so.1
 libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
 libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.3.2) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
 /lib/i686/cmov/libm.so.6:
 ld-linux.so.2 (GLIBC_PRIVATE) => /lib/ld-linux.so.2
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 /lib/libgcc_s.so.1:
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.2.4) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 /lib/i686/cmov/libc.so.6:
 ld-linux.so.2 (GLIBC_PRIVATE) => /lib/ld-linux.so.2
 ld-linux.so.2 (GLIBC_2.3) => /lib/ld-linux.so.2
 ld-linux.so.2 (GLIBC_2.1) => /lib/ld-linux.so.2
 /lib/i686/cmov/libdl.so.2:
 ld-linux.so.2 (GLIBC_PRIVATE) => /lib/ld-linux.so.2
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_PRIVATE) => /lib/i686/cmov/libc.so.6
 /usr/lib/libz.so.1:
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 /usr/lib/libgthread-2.0.so.0:
 librt.so.1 (GLIBC_2.2) => /lib/i686/cmov/librt.so.1
 libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
 libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
 libpthread.so.0 (GLIBC_2.1) => /lib/i686/cmov/libpthread.so.0
 libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0
 libpthread.so.0 (GLIBC_2.3.2) => /lib/i686/cmov/libpthread.so.0
 /lib/i686/cmov/librt.so.1:

libpthread.so.0 (GLIBC_2.1) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.2) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_PRIVATE) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_PRIVATE) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libglib-2.0.so.0:
libc.so.6 (GLIBC_2.1.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/lib/i686/cmov/libpthread.so.0:
ld-linux.so.2 (GLIBC_2.3) => /lib/ld-linux.so.2
ld-linux.so.2 (GLIBC_2.1) => /lib/ld-linux.so.2
ld-linux.so.2 (GLIBC_PRIVATE) => /lib/ld-linux.so.2
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_PRIVATE) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libQtXml.so.4:
libgcc_s.so.1 (GCC_3.0) => /lib/libgcc_s.so.1
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
/usr/lib/libaudio.so.2:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
/usr/lib/libpng12.so.0:
libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libfreetype.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libgobject-2.0.so.0:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libSM.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libICE.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libXrender.so.1:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libfontconfig.so.1:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libXext.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libX11.so.6:
libdl.so.2 (GLIBC_2.1) => /lib/i686/cmov/libdl.so.2
libdl.so.2 (GLIBC_2.0) => /lib/i686/cmov/libdl.so.2
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6

```

libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libsqlite3.so.0:
libdl.so.2 (GLIBC_2.1) => /lib/i686/cmov/libdl.so.2
libdl.so.2 (GLIBC_2.0) => /lib/i686/cmov/libdl.so.2
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
libpthread.so.0 (GLIBC_2.1) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.2) => /lib/i686/cmov/libpthread.so.0
libpthread.so.0 (GLIBC_2.0) => /lib/i686/cmov/libpthread.so.0
/usr/lib/libphonon.so.4:
libm.so.6 (GLIBC_2.0) => /lib/i686/cmov/libm.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libstdc++.so.6 (CXXABI_1.3) => /usr/lib/libstdc++.so.6
libstdc++.so.6 (GLIBCXX_3.4) => /usr/lib/libstdc++.so.6
/usr/lib/libpcre.so.3:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libXt.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libXau.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/lib/libuuid.so.1:
ld-linux.so.2 (GLIBC_2.3) => /lib/ld-linux.so.2
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.1) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libexpat.so.1:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libxcb.so.1:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.3.2) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6
/usr/lib/libXdmcp.so.6:
libc.so.6 (GLIBC_2.1.3) => /lib/i686/cmov/libc.so.6
libc.so.6 (GLIBC_2.0) => /lib/i686/cmov/libc.so.6

```

#5 - 07/25/2009 12:42 AM - ale

installing inkscape solved the problem for me...

the following packages have been installed:

```

[INSTALL, DEPENDENCIES] dbus-x11
[INSTALL, DEPENDENCIES] fam
[INSTALL, DEPENDENCIES] gconf2
[INSTALL, DEPENDENCIES] gconf2-common
[INSTALL, DEPENDENCIES] gnome-mime-data
[INSTALL, DEPENDENCIES] imagemagick
[INSTALL, DEPENDENCIES] libavahi-client3
[INSTALL, DEPENDENCIES] libavahi-common-data
[INSTALL, DEPENDENCIES] libavahi-common3
[INSTALL, DEPENDENCIES] libavahi-glib1
[INSTALL, DEPENDENCIES] libcairomm-1.0-1
[INSTALL, DEPENDENCIES] libfam0
[INSTALL, DEPENDENCIES] libgconf2-4
[INSTALL, DEPENDENCIES] libglibmm-2.4-1c2a
[INSTALL, DEPENDENCIES] libgnomevfs2-0
[INSTALL, DEPENDENCIES] libgnomevfs2-common

```

[INSTALL, DEPENDENCIES] libgtkmm-2.4-1c2a
[INSTALL, DEPENDENCIES] libgtkspell0
[INSTALL, DEPENDENCIES] libhal-storage1
[INSTALL, DEPENDENCIES] libidl0
[INSTALL, DEPENDENCIES] libmagick++10
[INSTALL, DEPENDENCIES] liborbit2
[INSTALL, DEPENDENCIES] libpangomm-1.4-1
[INSTALL, DEPENDENCIES] libplot2c2
[INSTALL, DEPENDENCIES] libpstoedit0c2a
[INSTALL, DEPENDENCIES] libwmf-bin
[INSTALL, DEPENDENCIES] perlmagick
[INSTALL, DEPENDENCIES] pstoedit
[INSTALL] inkscape
[INSTALL] libgnomevfs2-extra

i guess that the missing package may be dbus-x11 or fam...

i will try it out, the next time i have to setup a new system...
... but, maybe, somebody is faster than me :-)

ciao && thanks for caring
a.l.e

#6 - 02/02/2010 12:53 AM - DeepDiver

assuming the dependency to dbus-x11 was missing:
please close this bug - dbus-x11 was added to the debian package

cheers

#7 - 02/17/2010 10:43 PM - johu

- *Status changed from New to Resolved*
- *Target version set to 0.5.2*

#8 - 02/17/2010 10:44 PM - johu

- *Target version deleted (0.5.2)*