

Quassel IRC - Bug #905

Build Quassel + qt 4.5.0-rc1 + Windows

01/28/2010 10:04 AM - seezer

| | | | |
|------------------------|--------------|------------------------|------------|
| Status: | Resolved | Start date: | 02/23/2009 |
| Priority: | Low | Due date: | |
| Assignee: | seezer | % Done: | 100% |
| Category: | Build System | Estimated time: | 0.00 hour |
| Target version: | 0.6.0 | | |
| Version: | 0.6-pre | OS: | Windows |

Description

Reopened.

Short:

Currently cmake calls on windows need `-DLINK_EXTRA=dwmapi,Version,shlwapi,libpq`

This should be merged into our buildsystem.

```
C:\dev\build>cmake -G"Makefiles" C:\dev\quassel -DSTATIC=1 -DWANT_CORE=ON -DWANT_QTCLIENT=ON
-DWANT_MONO=ON -DWITH_PHONON=OF
F -DCMAKE_BUILD_TYPE=Release
-- The C compiler identification is MSVC
-- The CXX compiler identification is MSVC
-- Check for CL compiler version
-- Check for CL compiler version - 1400
-- Check if this is a free VC compiler
-- Check if this is a free VC compiler - no
-- Check CL platform
-- Check CL platform - 32 bit
-- Check for working C compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe
-- Check for working C compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe -- works
-- Detecting C compiler ABI info
-- Detecting C compiler ABI info - done
-- Check for working CXX compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe
-- Check for working CXX compiler: C:/Programme/Microsoft Visual Studio 8/VC/bin/cl.exe -- works
-- Detecting CXX compiler ABI info
-- Detecting CXX compiler ABI info - done
-- Looking for Q_WS_X11
-- Looking for Q_WS_X11 - not found.
-- Looking for Q_WS_WIN
-- Looking for Q_WS_WIN - found
-- Looking for Q_WS_QWS
-- Looking for Q_WS_QWS - not found.
-- Looking for Q_WS_MAC
-- Looking for Q_WS_MAC - not found.
-- Found Qt-Version 4.5.0-rc1 (using C:/dev/qt-win-opensource-src-4.5.0-rc1/bin/qmake.exe)
-- Found OpenSSL: optimized;C:/OpenSSL/lib/VC/static/ssleay32.lib;debug;C:/OpenSSL/lib/VC/static/s
sleay32MDd.lib
-- Found OpenSSL support in Qt
-- QtDBus not found, disabling D-Bus support
-- Found QtWebKit, enabling WebKit support
-- Disabling KDE4 integration
-- Disabling Phonon support
-- Including languages: cs;da;de;fr;hu;nb;ru;sl;tr
-- Importing qt_de.qm
-- Importing qt_fr.qm
-- Importing qt_ru.qm
Qt QTDBUS library not found.
Qt QTDBUS library not found.
-- Configuring done
Warning: Source file "C:/dev/quassel/pics/win32.rc" is listed multiple times for target "quassel".
Warning: Source file "C:/dev/quassel/pics/win32.rc" is listed multiple times for target "quasselcl
ient".
Warning: Source file "C:/dev/quassel/pics/win32.rc" is listed multiple times for target "quasselco
```

```

re".
-- Generating done
-- Build files have been written to: C:/dev/build

C:\dev\build>nmake

Microsoft (R) Program Maintenance Utility, Version 8.00.50727.42
Copyright (C) Microsoft Corporation. Alle Rechte vorbehalten.

Scanning dependencies of target genversion
[ 0%] Building CXX object CMakeFiles/genversion.dir/src/common/genversion.cpp.obj
genversion.cpp
Linking CXX executable genversion.exe
QtCore.lib(qmalloc.obj) : Es wurde ein mit /GL kompiliertes MSIL .netmodule oder module gefunden.
Verkn³pfung wird mit /LTCG erneu
t gestartet. F³gen Sie /LTCG zur Verkn³pfungsbefehlszeile hinzu, um die Verkn³pfungsleistung zu er
h³hen.
Code wird generiert.
Codegenerierung ist abgeschlossen.
[ 0%] Built target genversion
Scanning dependencies of target genversion_run
[ 0%] Built target genversion_run
Scanning dependencies of target i18n
[ 0%] Generating quassel.qm
[ 0%] Generating quassel_cs.qm
[ 0%] Generating quassel_da.qm
[ 0%] Generating quassel_de.qm
[ 0%] Generating quassel_fr.qm
[ 0%] Generating quassel_hu.qm
[ 0%] Generating quassel_nb_NO.qm
[ 0%] Generating quassel_ru.qm
[ 0%] Generating quassel_sl.qm
[ 0%] Generating quassel_tr_TR.qm
[ 2%] Built target i18n
[ 2%] Generating moc_aliasmanager.cxx
[ 2%] Generating moc_backlogmanager.cxx
[ 2%] Generating moc_buffersyncer.cxx
[ 3%] Generating moc_bufferviewconfig.cxx
[ 3%] Generating moc_bufferviewmanager.cxx
[ 3%] Generating moc_coreinfo.cxx
[ 3%] Generating moc_identity.cxx
[ 4%] Generating moc_ircchannel.cxx
[ 4%] Generating moc_irclisthelper.cxx
[ 4%] Generating moc_ircuser.cxx
[ 4%] Generating moc_network.cxx
[ 4%] Generating moc_settings.cxx
[ 5%] Generating moc_signalproxy.cxx
[ 5%] Generating moc_syncableobject.cxx
Scanning dependencies of target mod_common
[ 5%] Building CXX object src/common/CMakeFiles/mod_common.dir/aliasmanager.cpp.obj
aliasmanager.cpp
[ 5%] Building CXX object src/common/CMakeFiles/mod_common.dir/backlogmanager.cpp.obj
backlogmanager.cpp
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferinfo.cpp.obj
bufferinfo.cpp
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/buffersyncer.cpp.obj
buffersyncer.cpp
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferviewconfig.cpp.obj
bufferviewconfig.cpp
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/bufferviewmanager.cpp.obj
bufferviewmanager.cpp
[ 6%] Building CXX object src/common/CMakeFiles/mod_common.dir/cliparser.cpp.obj
cliparser.cpp
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/identity.cpp.obj
identity.cpp
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/ircchannel.cpp.obj
ircchannel.cpp

```

```
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/ircuser.cpp.obj
ircuser.cpp
[ 7%] Building CXX object src/common/CMakeFiles/mod_common.dir/logger.cpp.obj
logger.cpp
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/message.cpp.obj
message.cpp
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/network.cpp.obj
network.cpp
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/quassel.cpp.obj
quassel.cpp
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/settings.cpp.obj
settings.cpp
[ 8%] Building CXX object src/common/CMakeFiles/mod_common.dir/signalproxy.cpp.obj
signalproxy.cpp
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/syncableobject.cpp.obj
syncableobject.cpp
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/util.cpp.obj
util.cpp
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/logbacktrace_win.cpp.obj
logbacktrace_win.cpp
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_aliasmanager.cxx.obj
moc_aliasmanager.cxx
[ 9%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_backlogmanager.cxx.obj
moc_backlogmanager.cxx
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_buffersyncer.cxx.obj
moc_buffersyncer.cxx
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_bufferviewconfig.cxx.obj
moc_bufferviewconfig.cxx
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_bufferviewmanager.cxx.obj
moc_bufferviewmanager.cxx
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_coreinfo.cxx.obj
moc_coreinfo.cxx
[ 10%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_identity.cxx.obj
moc_identity.cxx
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_ircchannel.cxx.obj
moc_ircchannel.cxx
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_irclisthelper.cxx.obj
moc_irclisthelper.cxx
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_ircuser.cxx.obj
moc_ircuser.cxx
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_network.cxx.obj
moc_network.cxx
[ 11%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_settings.cxx.obj
moc_settings.cxx
[ 12%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_signalproxy.cxx.obj
moc_signalproxy.cxx
[ 12%] Building CXX object src/common/CMakeFiles/mod_common.dir/moc_syncableobject.cxx.obj
moc_syncableobject.cxx
Linking CXX static library mod_common.lib
[ 12%] Built target mod_common
[ 12%] Generating moc_abstractsqlstorage.cxx
[ 13%] Generating moc_basichandler.cxx
[ 13%] Generating moc_core.cxx
[ 13%] Generating moc_corealiasmanager.cxx
[ 13%] Generating moc_coreapplication.cxx
[ 14%] Generating moc_corebacklogmanager.cxx
[ 14%] Generating moc_corebuffersyncer.cxx
[ 14%] Generating moc_corebufferviewconfig.cxx
[ 14%] Generating moc_corebufferviewmanager.cxx
[ 14%] Generating moc_corecoreinfo.cxx
[ 15%] Generating moc_coreidentity.cxx
[ 15%] Generating moc_coreircchannel.cxx
[ 15%] Generating moc_coreirclisthelper.cxx
[ 15%] Generating moc_corenetwork.cxx
[ 15%] Generating moc_coresession.cxx
[ 16%] Generating moc_ctcphandler.cxx
[ 16%] Generating moc_ircserverhandler.cxx
```

```
[ 16%] Generating moc_sqlitestorage.cxx
[ 16%] Generating moc_storage.cxx
[ 16%] Generating moc_sessionthread.cxx
[ 17%] Generating moc_userinputhandler.cxx
[ 17%] Generating moc_sslserver.cxx
Scanning dependencies of target mod_core
[ 17%] Building CXX object src/core/CMakeFiles/mod_core.dir/abstractsqlstorage.cpp.obj
abstractsqlstorage.cpp
[ 17%] Building CXX object src/core/CMakeFiles/mod_core.dir/basichandler.cpp.obj
basichandler.cpp
[ 17%] Building CXX object src/core/CMakeFiles/mod_core.dir/core.cpp.obj
core.cpp
[ 18%] Building CXX object src/core/CMakeFiles/mod_core.dir/corealiasmanager.cpp.obj
corealiasmanager.cpp
[ 18%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreapplication.cpp.obj
coreapplication.cpp
[ 18%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebacklogmanager.cpp.obj
corebacklogmanager.cpp
[ 18%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebuffersyncer.cpp.obj
corebuffersyncer.cpp
[ 18%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebufferviewconfig.cpp.obj
corebufferviewconfig.cpp
[ 19%] Building CXX object src/core/CMakeFiles/mod_core.dir/corebufferviewmanager.cpp.obj
corebufferviewmanager.cpp
[ 19%] Building CXX object src/core/CMakeFiles/mod_core.dir/corecoreinfo.cpp.obj
corecoreinfo.cpp
[ 19%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreidentity.cpp.obj
coreidentity.cpp
[ 19%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreircchannel.cpp.obj
coreircchannel.cpp
[ 19%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreirclisthelper.cpp.obj
coreirclisthelper.cpp
[ 20%] Building CXX object src/core/CMakeFiles/mod_core.dir/corenetwork.cpp.obj
corenetwork.cpp
[ 20%] Building CXX object src/core/CMakeFiles/mod_core.dir/coresession.cpp.obj
coresession.cpp
[ 20%] Building CXX object src/core/CMakeFiles/mod_core.dir/coresettings.cpp.obj
coresettings.cpp
[ 20%] Building CXX object src/core/CMakeFiles/mod_core.dir/coreusersettings.cpp.obj
coreusersettings.cpp
[ 20%] Building CXX object src/core/CMakeFiles/mod_core.dir/ctcphandler.cpp.obj
ctcphandler.cpp
[ 21%] Building CXX object src/core/CMakeFiles/mod_core.dir/ircserverhandler.cpp.obj
ircserverhandler.cpp
[ 21%] Building CXX object src/core/CMakeFiles/mod_core.dir/sessionthread.cpp.obj
sessionthread.cpp
[ 21%] Building CXX object src/core/CMakeFiles/mod_core.dir/sqlitestorage.cpp.obj
sqlitestorage.cpp
[ 21%] Building CXX object src/core/CMakeFiles/mod_core.dir/storage.cpp.obj
storage.cpp
[ 22%] Building CXX object src/core/CMakeFiles/mod_core.dir/userinputhandler.cpp.obj
userinputhandler.cpp
[ 22%] Building CXX object src/core/CMakeFiles/mod_core.dir/sslserver.cpp.obj
sslserver.cpp
[ 22%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_abstractsqlstorage.cxx.obj
moc_abstractsqlstorage.cxx
[ 22%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_basichandler.cxx.obj
moc_basichandler.cxx
[ 22%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_core.cxx.obj
moc_core.cxx
[ 23%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corealiasmanager.cxx.obj
moc_corealiasmanager.cxx
[ 23%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coreapplication.cxx.obj
moc_coreapplication.cxx
[ 23%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebacklogmanager.cxx.obj
moc_corebacklogmanager.cxx
[ 23%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebuffersyncer.cxx.obj
```

```

moc_corebuffersyncer.cxx
[ 23%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebufferviewconfig.cxx.obj
moc_corebufferviewconfig.cxx
[ 24%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corebufferviewmanager.cxx.obj
moc_corebufferviewmanager.cxx
[ 24%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corecoreinfo.cxx.obj
moc_corecoreinfo.cxx
[ 24%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coreidentity.cxx.obj
moc_coreidentity.cxx
[ 24%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coreircchannel.cxx.obj
moc_coreircchannel.cxx
[ 24%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coreirclisthelper.cxx.obj
moc_coreirclisthelper.cxx
[ 25%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_corenetwork.cxx.obj
moc_corenetwork.cxx
[ 25%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_coresession.cxx.obj
moc_coresession.cxx
[ 25%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_ctcphandler.cxx.obj
moc_ctcphandler.cxx
[ 25%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_ircserverhandler.cxx.obj
moc_ircserverhandler.cxx
[ 25%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_sqlitestorage.cxx.obj
moc_sqlitestorage.cxx
[ 26%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_storage.cxx.obj
moc_storage.cxx
[ 26%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_sessionthread.cxx.obj
moc_sessionthread.cxx
[ 26%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_userinputhandler.cxx.obj
moc_userinputhandler.cxx
[ 26%] Building CXX object src/core/CMakeFiles/mod_core.dir/moc_sslserver.cxx.obj
moc_sslserver.cxx
Linking CXX static library mod_core.lib
[ 26%] Built target mod_core
[ 26%] Generating moc_abstractmessageprocessor.cxx
[ 27%] Generating moc_abstractui.cxx
[ 27%] Generating moc_buffermodel.cxx
[ 27%] Generating moc_client.cxx
[ 27%] Generating moc_clientbacklogmanager.cxx
[ 28%] Generating moc_clientbufferviewconfig.cxx
[ 28%] Generating moc_clientbufferviewmanager.cxx
[ 28%] Generating moc_clientcoreinfo.cxx
[ 28%] Generating moc_clientidentity.cxx
[ 28%] Generating moc_clientirclisthelper.cxx
[ 29%] Generating moc_clientsyncer.cxx
[ 29%] Generating moc_irclistmodel.cxx
[ 29%] Generating moc_messagefilter.cxx
[ 29%] Generating moc_messagemodel.cxx
[ 29%] Generating moc_networkmodel.cxx
[ 30%] Generating moc_selectionmodelsynchronizer.cxx
[ 30%] Generating moc_treemodel.cxx
Scanning dependencies of target mod_client
[ 30%] Building CXX object src/client/CMakeFiles/mod_client.dir/abstractmessageprocessor.cpp.obj
abstractmessageprocessor.cpp
[ 30%] Building CXX object src/client/CMakeFiles/mod_client.dir/abstractui.cpp.obj
abstractui.cpp
[ 30%] Building CXX object src/client/CMakeFiles/mod_client.dir/backlogrequester.cpp.obj
backlogrequester.cpp
[ 31%] Building CXX object src/client/CMakeFiles/mod_client.dir/buffermodel.cpp.obj
buffermodel.cpp
[ 31%] Building CXX object src/client/CMakeFiles/mod_client.dir/buffersettings.cpp.obj
buffersettings.cpp
[ 31%] Building CXX object src/client/CMakeFiles/mod_client.dir/client.cpp.obj
client.cpp
[ 31%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientbacklogmanager.cpp.obj
clientbacklogmanager.cpp
[ 31%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientbufferviewconfig.cpp.obj
clientbufferviewconfig.cpp

```

```

[ 32%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientbufferviewmanager.cpp.obj
clientbufferviewmanager.cpp
[ 32%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientidentity.cpp.obj
clientidentity.cpp
[ 32%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientirclisthelper.cpp.obj
clientirclisthelper.cpp
[ 32%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientsettings.cpp.obj
clientsettings.cpp
[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/clientsyncer.cpp.obj
clientsyncer.cpp
[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/irclistmodel.cpp.obj
irclistmodel.cpp
[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/messagefilter.cpp.obj
messagefilter.cpp
[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/messagemodel.cpp.obj
messagemodel.cpp
[ 33%] Building CXX object src/client/CMakeFiles/mod_client.dir/networkmodel.cpp.obj
networkmodel.cpp
[ 34%] Building CXX object src/client/CMakeFiles/mod_client.dir/selectionmodelsynchronizer.cpp.obj
selectionmodelsynchronizer.cpp
[ 34%] Building CXX object src/client/CMakeFiles/mod_client.dir/treemodel.cpp.obj
treemodel.cpp
[ 34%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_abstractmessageprocessor.cxx.o
bj
moc_abstractmessageprocessor.cxx
[ 34%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_abstractui.cxx.obj
moc_abstractui.cxx
[ 34%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_buffermodel.cxx.obj
moc_buffermodel.cxx
[ 35%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_client.cxx.obj
moc_client.cxx
[ 35%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientbacklogmanager.cxx.obj
moc_clientbacklogmanager.cxx
[ 35%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientbufferviewconfig.cxx.obj
moc_clientbufferviewconfig.cxx
[ 35%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientbufferviewmanager.cxx.ob
j
moc_clientbufferviewmanager.cxx
[ 35%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientcoreinfo.cxx.obj
moc_clientcoreinfo.cxx
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientidentity.cxx.obj
moc_clientidentity.cxx
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientirclisthelper.cxx.obj
moc_clientirclisthelper.cxx
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_clientsyncer.cxx.obj
moc_clientsyncer.cxx
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_irclistmodel.cxx.obj
moc_irclistmodel.cxx
[ 36%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_messagefilter.cxx.obj
moc_messagefilter.cxx
[ 37%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_messagemodel.cxx.obj
moc_messagemodel.cxx
[ 37%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_networkmodel.cxx.obj
moc_networkmodel.cxx
[ 37%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_selectionmodelsynchronizer.cxx
.obj
moc_selectionmodelsynchronizer.cxx
[ 37%] Building CXX object src/client/CMakeFiles/mod_client.dir/moc_treemodel.cxx.obj
moc_treemodel.cxx
Linking CXX static library mod_client.lib
[ 37%] Built target mod_client
[ 37%] Generating moc_abstractbuffercontainer.cxx
[ 37%] Generating moc_abstractitemview.cxx
[ 37%] Generating moc_abstractnotificationbackend.cxx
[ 37%] Generating moc_action.cxx
[ 38%] Generating moc_actioncollection.cxx
[ 38%] Generating moc_bufferview.cxx

```

```

[ 38%] Generating moc_bufferviewfilter.cxx
[ 38%] Generating moc_clearablelineedit.cxx
[ 38%] Generating moc_clickablelabel.cxx
[ 39%] Generating moc_colorbutton.cxx
[ 39%] Generating moc_contextmenuactionprovider.cxx
[ 39%] Generating moc_graphicalui.cxx
[ 39%] Generating moc_iconloader.cxx
[ 39%] Generating moc_inputline.cxx
[ 40%] Generating moc_networkmodelcontroller.cxx
[ 40%] Generating moc_nickview.cxx
[ 40%] Generating moc_nickviewfilter.cxx
[ 40%] Generating moc_settingspage.cxx
[ 40%] Generating moc_tabcompleter.cxx
[ 41%] Generating moc_toolbaractionprovider.cxx
Scanning dependencies of target mod_uisupport
[ 41%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/abstractbuffercontainer.cpp.obj
abstractbuffercontainer.cpp
[ 41%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/abstractitemview.cpp.obj
abstractitemview.cpp
[ 41%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/action.cpp.obj
action.cpp
[ 42%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/actioncollection.cpp.obj
actioncollection.cpp
[ 42%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/bufferview.cpp.obj
bufferview.cpp
[ 42%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/bufferviewfilter.cpp.obj
bufferviewfilter.cpp
[ 42%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/clearablelineedit.cpp.obj
clearablelineedit.cpp
[ 42%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/clickablelabel.cpp.obj
clickablelabel.cpp
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/colorbutton.cpp.obj
colorbutton.cpp
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/contextmenuactionprovider.cpp.obj
contextmenuactionprovider.cpp
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/graphicalui.cpp.obj
graphicalui.cpp
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/icon.cpp.obj
icon.cpp
[ 43%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/iconloader.cpp.obj
iconloader.cpp
[ 44%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/inputline.cpp.obj
inputline.cpp
[ 44%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/networkmodelcontroller.cpp.obj
networkmodelcontroller.cpp
[ 44%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/nickview.cpp.obj
nickview.cpp
[ 44%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/nickviewfilter.cpp.obj
nickviewfilter.cpp
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/settingspage.cpp.obj
settingspage.cpp
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/tabcompleter.cpp.obj
tabcompleter.cpp
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/toolbaractionprovider.cpp.obj
toolbaractionprovider.cpp
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/uissettings.cpp.obj
uissettings.cpp
[ 45%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/uistyle.cpp.obj
uistyle.cpp
[ 46%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_abstractbuffercontainer.cxx.obj
moc_abstractbuffercontainer.cxx
[ 46%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_abstractitemview.cxx.obj

```

```

moc_abstractitemview.cxx
[ 46%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_abstractnotificationback
end.cxx.obj
moc_abstractnotificationbackend.cxx
[ 46%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_action.cxx.obj
moc_action.cxx
[ 46%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_actioncollection.cxx.obj
moc_actioncollection.cxx
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_bufferview.cxx.obj
moc_bufferview.cxx
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_bufferviewfilter.cxx.obj
moc_bufferviewfilter.cxx
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_clearablelineedit.cxx.ob
j
moc_clearablelineedit.cxx
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_clickablelabel.cxx.obj
moc_clickablelabel.cxx
[ 47%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_colorbutton.cxx.obj
moc_colorbutton.cxx
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_contextmenuactionprovide
r.cxx.obj
moc_contextmenuactionprovider.cxx
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_graphicalui.cxx.obj
moc_graphicalui.cxx
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_iconloader.cxx.obj
moc_iconloader.cxx
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_inputline.cxx.obj
moc_inputline.cxx
[ 48%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_networkmodelcontroller.c
xx.obj
moc_networkmodelcontroller.cxx
[ 49%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_nickview.cxx.obj
moc_nickview.cxx
[ 49%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_nickviewfilter.cxx.obj
moc_nickviewfilter.cxx
[ 49%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_settingspage.cxx.obj
moc_settingspage.cxx
[ 49%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_tabcompleter.cxx.obj
moc_tabcompleter.cxx
[ 50%] Building CXX object src/uisupport/CMakeFiles/mod_uisupport.dir/moc_toolbaractionprovider.cx
x.obj
moc_toolbaractionprovider.cxx
Linking CXX static library mod_uisupport.lib
[ 50%] Built target mod_uisupport
[ 50%] Generating moc_aboutdlg.cxx
[ 51%] Generating moc_awaylogfilter.cxx
[ 51%] Generating moc_awaylogview.cxx
[ 51%] Generating moc_bufferwidget.cxx
[ 51%] Generating moc_channellistdlg.cxx
[ 51%] Generating moc_chatitem.cxx
[ 52%] Generating moc_chatlinemodel.cxx
[ 52%] Generating moc_chatmonitorfilter.cxx
[ 52%] Generating moc_chatmonitorview.cxx
[ 52%] Generating moc_chatscene.cxx
[ 53%] Generating moc_chatview.cxx
[ 53%] Generating moc_chatviewsearchbar.cxx
[ 53%] Generating moc_chatviewsearchcontroller.cxx
[ 53%] Generating moc_columnhandleitem.cxx
[ 53%] Generating moc_coreconfigwizard.cxx
[ 54%] Generating moc_coreconnectdlg.cxx
[ 54%] Generating moc_coreinfodlg.cxx
[ 54%] Generating moc_debugconsole.cxx
[ 54%] Generating moc_debuglogwidget.cxx
[ 54%] Generating moc_debugmessagemodelfilter.cxx
[ 55%] Generating moc_inputwidget.cxx
[ 55%] Generating moc_ircconnectionwizard.cxx
[ 55%] Generating moc_jumpkeyhandler.cxx

```



```
[ 55%] Generating moc_mainpage.cxx
[ 55%] Generating moc_mainwin.cxx
[ 56%] Generating moc_msgprocessorstatuswidget.cxx
[ 56%] Generating moc_nicklistwidget.cxx
[ 56%] Generating moc_qtui.cxx
[ 56%] Generating moc_qtuiapplication.cxx
[ 56%] Generating moc_qtuimessageprocessor.cxx
[ 57%] Generating moc_settingsdlg.cxx
[ 57%] Generating moc_settingspagedlg.cxx
[ 57%] Generating moc_simplenetworkeditor.cxx
[ 57%] Generating moc_systemtray.cxx
[ 57%] Generating moc_systraynotificationbackend.cxx
[ 58%] Generating moc_taskbarnotificationbackend.cxx
[ 58%] Generating moc_titlesetter.cxx
[ 58%] Generating moc_topiclabel.cxx
[ 58%] Generating moc_topicwidget.cxx
[ 59%] Generating moc_verticaldock.cxx
[ 59%] Generating moc_aliasesettingspage.cxx
[ 59%] Generating moc_appearancesettingspage.cxx
[ 59%] Generating moc_backlogsettingspage.cxx
[ 59%] Generating moc_bufferviewsettingspage.cxx
[ 60%] Generating moc_colorsettingspage.cxx
[ 60%] Generating moc_chatmonitorsettingspage.cxx
[ 60%] Generating moc_generalsettingspage.cxx
[ 60%] Generating moc_highlightsettingspage.cxx
[ 60%] Generating moc_identitiesettingspage.cxx
[ 61%] Generating moc_networkssettingspage.cxx
[ 61%] Generating moc_aliasesmodel.cxx
[ 61%] Generating moc_identityeditwidget.cxx
[ 61%] Generating moc_notificationssettingspage.cxx
[ 61%] Generating moc_previewbufferview.cxx
[ 62%] Generating ui_aboutdlg.h
[ 62%] Generating ui_bufferviewwidget.h
[ 62%] Generating ui_bufferwidget.h
[ 62%] Generating ui_channellistdlg.h
[ 62%] Generating ui_chatviewsearchbar.h
[ 63%] Generating ui_coreaccounteditdlg.h
[ 63%] Generating ui_coreconfigwizardintropage.h
[ 63%] Generating ui_coreconfigwizardadminuserpage.h
[ 63%] Generating ui_coreconfigwizardstorageselectionpage.h
[ 63%] Generating ui_coreconfigwizardsyncpage.h
[ 64%] Generating ui_coreconnectdlg.h
'' isn't a valid widget
[ 64%] Generating ui_coreinfodlg.h
[ 64%] Generating ui_debugconsole.h
[ 64%] Generating ui_debuglogwidget.h
[ 65%] Generating ui_inputwidget.h
[ 65%] Generating ui_msgprocessorstatuswidget.h
[ 65%] Generating ui_nicklistwidget.h
[ 65%] Generating ui_settingsdlg.h
[ 65%] Generating ui_settingspagedlg.h
[ 66%] Generating ui_simplenetworkeditor.h
[ 66%] Generating ui_topicwidget.h
[ 66%] Generating ui_aliasesettingspage.h
[ 66%] Generating ui_appearancesettingspage.h
[ 66%] Generating ui_backlogsettingspage.h
[ 67%] Generating ui_bufferviewsettingspage.h
[ 67%] Generating ui_colorsettingspage.h
[ 67%] Generating ui_chatmonitorsettingspage.h
[ 67%] Generating ui_generalsettingspage.h
[ 67%] Generating ui_highlightsettingspage.h
[ 68%] Generating ui_identitiesettingspage.h
[ 68%] Generating ui_networkssettingspage.h
[ 68%] Generating ui_buffervieweditdlg.h
[ 68%] Generating ui_createidentitydlg.h
[ 68%] Generating ui_identityeditwidget.h
[ 69%] Generating ui_saveidentitiesdlg.h
```

```
[ 69%] Generating ui_networkadddlg.h
[ 69%] Generating ui_networkeditdlg.h
[ 69%] Generating ui_nickeditdlg.h
[ 70%] Generating ui_servereditdlg.h
Scanning dependencies of target mod_qtui
[ 70%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/aboutdlg.cpp.obj
aboutdlg.cpp
[ 70%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/awaylogfilter.cpp.obj
awaylogfilter.cpp
[ 70%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/awaylogview.cpp.obj
awaylogview.cpp
[ 70%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/bufferwidget.cpp.obj
bufferwidget.cpp
[ 71%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/channellistdlg.cpp.obj
channellistdlg.cpp
[ 71%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatitem.cpp.obj
chatitem.cpp
[ 71%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatline.cpp.obj
chatline.cpp
[ 71%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatlinemodel.cpp.obj
chatlinemodel.cpp
[ 72%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatlinemodelitem.cpp.obj
chatlinemodelitem.cpp
[ 72%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatmonitorfilter.cpp.obj
chatmonitorfilter.cpp
[ 72%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatmonitorview.cpp.obj
chatmonitorview.cpp
[ 72%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatscene.cpp.obj
chatscene.cpp
[ 72%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatview.cpp.obj
chatview.cpp
[ 73%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatviewsearchbar.cpp.obj
chatviewsearchbar.cpp
[ 73%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatviewsearchcontroller.cpp.obj
chatviewsearchcontroller.cpp
[ 73%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/chatviewsettings.cpp.obj
chatviewsettings.cpp
[ 73%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/columnhandleitem.cpp.obj
columnhandleitem.cpp
[ 73%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/coreconfigwizard.cpp.obj
coreconfigwizard.cpp
[ 74%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/coreconnectdlg.cpp.obj
coreconnectdlg.cpp
[ 74%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/coreinfodlg.cpp.obj
coreinfodlg.cpp
[ 74%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/debugconsole.cpp.obj
debugconsole.cpp
[ 74%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/debuglogwidget.cpp.obj
debuglogwidget.cpp
[ 74%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/debugmessagemodelfilter.cpp.obj
debugmessagemodelfilter.cpp
[ 75%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/inputwidget.cpp.obj
inputwidget.cpp
[ 75%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/ircconnectionwizard.cpp.obj
ircconnectionwizard.cpp
[ 75%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/jumpkeyhandler.cpp.obj
jumpkeyhandler.cpp
[ 75%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/mainpage.cpp.obj
mainpage.cpp
[ 75%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/mainwin.cpp.obj
mainwin.cpp
[ 76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/msgprocessorstatuswidget.cpp.obj
msgprocessorstatuswidget.cpp
[ 76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/nicklistwidget.cpp.obj
nicklistwidget.cpp
[ 76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/qtui.cpp.obj
qtui.cpp
```

```
[ 76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/qtuiapplication.cpp.obj
qtuiapplication.cpp
[ 76%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/qtuimessageprocessor.cpp.obj
qtuimessageprocessor.cpp
[ 77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/qtuisettings.cpp.obj
qtuisettings.cpp
[ 77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/qtuistyle.cpp.obj
qtuistyle.cpp
[ 77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/sessionsettings.cpp.obj
sessionsettings.cpp
[ 77%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingsdlg.cpp.obj
settingsdlg.cpp
[ 78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspagedlg.cpp.obj
settingspagedlg.cpp
[ 78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/simplenetworkeditor.cpp.obj
simplenetworkeditor.cpp
[ 78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/systemtray.cpp.obj
systemtray.cpp
[ 78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/systraynotificationbackend.cpp.obj
systraynotificationbackend.cpp
[ 78%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/taskbarnotificationbackend.cpp.obj
taskbarnotificationbackend.cpp
[ 79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/titlesetter.cpp.obj
titlesetter.cpp
[ 79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/topiclabel.cpp.obj
topiclabel.cpp
[ 79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/topicwidget.cpp.obj
topicwidget.cpp
[ 79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/verticaldock.cpp.obj
verticaldock.cpp
[ 79%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/webpreviewitem.cpp.obj
webpreviewitem.cpp
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/aliasessettingspage.cpp.
obj
aliasessettingspage.cpp
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/appearancesettingspage.c
pp.obj
appearancesettingspage.cpp
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/backlogsettingspage.cpp.
obj
backlogsettingspage.cpp
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/bufferviewsettingspage.c
pp.obj
bufferviewsettingspage.cpp
[ 80%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/colorsettingspage.cpp.ob
j
colorsettingspage.cpp
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/chatmonitorsettingspage.
cpp.obj
chatmonitorsettingspage.cpp
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/generalsettingspage.cpp.
obj
generalsettingspage.cpp
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/highlightsettingspage.cp
p.obj
highlightsettingspage.cpp
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/identitiessettingspage.c
pp.obj
identitiessettingspage.cpp
[ 81%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/networkssettingspage.cpp
.obj
networkssettingspage.cpp
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/aliasesmodel.cpp.obj
aliasesmodel.cpp
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/identityeditwidget.cpp.o
bj
identityeditwidget.cpp
```

```
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/settingspages/notificationssettingspag
e.cpp.obj
notificationssettingspage.cpp
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_aboutdlg.cxx.obj
moc_aboutdlg.cxx
[ 82%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_awaylogfilter.cxx.obj
moc_awaylogfilter.cxx
[ 83%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_awaylogview.cxx.obj
moc_awaylogview.cxx
[ 83%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_bufferwidget.cxx.obj
moc_bufferwidget.cxx
[ 83%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_channellistdlg.cxx.obj
moc_channellistdlg.cxx
[ 83%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatitem.cxx.obj
moc_chatitem.cxx
[ 84%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatlinemodel.cxx.obj
moc_chatlinemodel.cxx
[ 84%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatmonitorfilter.cxx.obj
moc_chatmonitorfilter.cxx
[ 84%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatmonitorview.cxx.obj
moc_chatmonitorview.cxx
[ 84%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatscene.cxx.obj
moc_chatscene.cxx
[ 84%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatview.cxx.obj
moc_chatview.cxx
[ 85%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatviewsearchbar.cxx.obj
moc_chatviewsearchbar.cxx
[ 85%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatviewsearchcontroller.cxx.obj
moc_chatviewsearchcontroller.cxx
[ 85%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_columnhandleitem.cxx.obj
moc_columnhandleitem.cxx
[ 85%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_coreconfigwizard.cxx.obj
moc_coreconfigwizard.cxx
[ 85%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_coreconnectdlg.cxx.obj
moc_coreconnectdlg.cxx
[ 86%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_coreinfodlg.cxx.obj
moc_coreinfodlg.cxx
[ 86%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_debugconsole.cxx.obj
moc_debugconsole.cxx
[ 86%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_debuglogwidget.cxx.obj
moc_debuglogwidget.cxx
[ 86%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_debugmessagemodelfilter.cxx.obj
moc_debugmessagemodelfilter.cxx
[ 86%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_inputwidget.cxx.obj
moc_inputwidget.cxx
[ 87%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_ircconnectionwizard.cxx.obj
moc_ircconnectionwizard.cxx
[ 87%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_jumpkeyhandler.cxx.obj
moc_jumpkeyhandler.cxx
[ 87%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_mainpage.cxx.obj
moc_mainpage.cxx
[ 87%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_mainwin.cxx.obj
moc_mainwin.cxx
[ 87%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_msgprocessorstatuswidget.cxx.obj
moc_msgprocessorstatuswidget.cxx
[ 88%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_nicklistwidget.cxx.obj
moc_nicklistwidget.cxx
[ 88%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_qtui.cxx.obj
moc_qtui.cxx
[ 88%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_qtuiapplication.cxx.obj
moc_qtuiapplication.cxx
[ 88%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_qtuimessageprocessor.cxx.obj
moc_qtuimessageprocessor.cxx
[ 88%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_settingsdlg.cxx.obj
moc_settingsdlg.cxx
[ 89%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_settingspagedlg.cxx.obj
moc_settingspagedlg.cxx
```

```

[ 89%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_simplenetworkeditor.cxx.obj
moc_simplenetworkeditor.cxx
[ 89%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_systemtray.cxx.obj
moc_systemtray.cxx
[ 89%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_systraynotificationbackend.cxx.obj
moc_systraynotificationbackend.cxx
[ 90%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_taskbarnotificationbackend.cxx.obj
moc_taskbarnotificationbackend.cxx
[ 90%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_titlesetter.cxx.obj
moc_titlesetter.cxx
[ 90%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_topiclabel.cxx.obj
moc_topiclabel.cxx
[ 90%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_topicwidget.cxx.obj
moc_topicwidget.cxx
[ 90%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_verticaldock.cxx.obj
moc_verticaldock.cxx
[ 91%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_aliasesettingspage.cxx.obj
moc_aliasesettingspage.cxx
[ 91%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_appearancesettingspage.cxx.obj
moc_appearancesettingspage.cxx
[ 91%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_backlogsettingspage.cxx.obj
moc_backlogsettingspage.cxx
[ 91%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_bufferviewsettingspage.cxx.obj
moc_bufferviewsettingspage.cxx
[ 91%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_colorsettingspage.cxx.obj
moc_colorsettingspage.cxx
[ 92%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_chatmonitorsettingspage.cxx.obj
moc_chatmonitorsettingspage.cxx
[ 92%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_generalsettingspage.cxx.obj
moc_generalsettingspage.cxx
[ 92%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_highlightsettingspage.cxx.obj
moc_highlightsettingspage.cxx
[ 92%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_identitiesettingspage.cxx.obj
moc_identitiesettingspage.cxx
[ 92%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_networkssettingspage.cxx.obj
moc_networkssettingspage.cxx
[ 93%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_aliasesmodel.cxx.obj
moc_aliasesmodel.cxx
[ 93%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_identityeditwidget.cxx.obj
moc_identityeditwidget.cxx
[ 93%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_notificationssettingspage.cxx.obj
moc_notificationssettingspage.cxx
[ 93%] Building CXX object src/qtui/CMakeFiles/mod_qtui.dir/moc_previewbufferview.cxx.obj
moc_previewbufferview.cxx
Linking CXX static library mod_qtui.lib
[ 93%] Built target mod_qtui
[ 93%] Generating moc_monoapplication.cxx
[ 93%] Generating qrc_i18n.cxx
[ 93%] Generating qrc_data.cxx
[ 94%] Generating qrc_hicolor.cxx
[ 94%] Generating qrc_oxygen.cxx
[ 94%] Generating qrc_pics.cxx
[ 94%] Generating qrc_sql.cxx
Scanning dependencies of target quassel
[ 94%] Building CXX object src/CMakeFiles/quassel.dir/common/main.cpp.obj
main.cpp
[ 94%] Building CXX object src/CMakeFiles/quassel.dir/qtui/monoapplication.cpp.obj
monoapplication.cpp
[ 94%] Building CXX object src/CMakeFiles/quassel.dir/moc_monoapplication.cxx.obj
moc_monoapplication.cxx
[ 95%] Building RC object src/CMakeFiles/quassel.dir/__/pics/win32.rc.res
[ 95%] Building CXX object src/CMakeFiles/quassel.dir/qrc_i18n.cxx.obj
qrc_i18n.cxx
[ 95%] Building CXX object src/CMakeFiles/quassel.dir/qrc_data.cxx.obj
qrc_data.cxx
[ 95%] Building CXX object src/CMakeFiles/quassel.dir/qrc_hicolor.cxx.obj
qrc_hicolor.cxx

```

```

[ 95%] Building CXX object src/CMakeFiles/quassel.dir/qrc_oxygen.cxx.obj
qrc_oxygen.cxx
[ 96%] Building CXX object src/CMakeFiles/quassel.dir/qrc_pics.cxx.obj
qrc_pics.cxx
[ 96%] Building CXX object src/CMakeFiles/quassel.dir/qrc_sql.cxx.obj
qrc_sql.cxx
Linking CXX executable ../quassel.exe
qjpeg.lib(main.obj) : Es wurde ein mit /GL kompiliertes MSIL .netmodule oder module gefunden. Verknüpfung wird mit /LTCG erneut gestartet. Fügen Sie /LTCG zur Verknüpfungsbefehlszeile hinzu, um die Verknüpfungsleistung zu erhöhen.
    Bibliothek "..\quassel.lib" und Objekt "..\quassel.exp" werden erstellt.
QtWebKit.lib(PluginPackageWin.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "_VerQueryValueW@16".
QtWebKit.lib(PluginPackageWin.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "_GetFileVersionInfoSizeW@8".
QtWebKit.lib(PluginPackageWin.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "_GetFileVersionInfoW@16".
QtWebKit.lib(PluginDatabaseWin.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__imp__SHGetPathValueW@24".
QtWebKit.lib(PluginDatabaseWin.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__imp__PathRemoveFileSpecW@4".
QtWebKit.lib(PluginDatabaseWin.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__imp__PathCombineW@12".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: enum Phonon::State __thiscall Phonon::MediaObject::state(void) const " (__imp_?state@MediaObject@Phonon@@QBE?AW4State@2@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: __int64 __thiscall Phonon::MediaObject::currentTime(void) const " (__imp_?currentTime@MediaObject@Phonon@@QBE_JXZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: __int64 __thiscall Phonon::MediaObject::totalTime(void) const " (__imp_?totalTime@MediaObject@Phonon@@QBE_JXZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: bool __thiscall Phonon::MediaObject::hasVideo(void) const " (__imp_?hasVideo@MediaObject@Phonon@@QBE_NXZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: bool __thiscall Phonon::MediaObject::isSeekable(void) const " (__imp_?isSeekable@MediaObject@Phonon@@QBE_NXZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: __thiscall Phonon::MediaObject::MediaObject(class QObject *)" (__imp_??0MediaObject@Phonon@@QAE@PAVQObject@@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: __thiscall Phonon::VideoWidget::VideoWidget(class QWidget *)" (__imp_??0VideoWidget@Phonon@@QAE@PAVQWidget@@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: __thiscall Phonon::AudioOutput::AudioOutput(class QObject *)" (__imp_??0AudioOutput@Phonon@@QAE@PAVQObject@@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) class Phonon::Path __cdecl Phonon::createPath(class Phonon::MediaNode *,class Phonon::MediaNode *)" (__imp_?createPath@Phonon@@YA?AVPath@1@PAVMediaNode@1@0@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: __thiscall Phonon::Path::~Path(void) " (__imp_??1Path@Phonon@@QAE@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: virt ual __thiscall Phonon::MediaObject::~MediaObject(void) " (__imp_??1MediaObject@Phonon@@UAE@XZ)".

```

```

QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: void
__thiscall Phonon::MediaObject::setCurrentSource(class Phonon::MediaSource const &)" (__imp_?setC
urrentSource@MediaObject@Phonon@
@QAEXABVMediaSource@2@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: __th
iscall Phonon::MediaSource::MediaSource(class QUrl const &)" (__imp_?0MediaSource@Phonon@@QAE@ABV
QUrl@@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: __th
iscall Phonon::MediaSource::~MediaSource(void)" (__imp_?1MediaSource@Phonon@@QAE@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: void
__thiscall Phonon::AudioOutput::setVolume(double)" (__imp_?setVolume@AudioOutput@Phonon@@QAE@XN@Z)
".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: void
__thiscall Phonon::MediaObject::play(void)" (__imp_?play@MediaObject@Phonon@@QAE@XXZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: void
__thiscall Phonon::MediaObject::pause(void)" (__imp_?pause@MediaObject@Phonon@@QAE@XXZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: void
__thiscall Phonon::MediaObject::seek(__int64)" (__imp_?seek@MediaObject@Phonon@@QAE@XJ@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: void
__thiscall Phonon::AudioOutput::setMuted(bool)" (__imp_?setMuted@AudioOutput@Phonon@@QAE@XN@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: enum
Phonon::ErrorType __thiscall Phonon::MediaObject::errorType(void) const" (__imp_?errorType@MediaO
bject@Phonon@@QBE?AW4ErrorType@2
@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: virt
ual struct QMetaObject const * __thiscall Phonon::MediaObject::metaObject(void) const" (__imp_?met
aObject@MediaObject@Phonon@@UBEP
BUQMetaObject@@@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: virt
ual void * __thiscall Phonon::MediaObject::qt_metacast(char const *)" (__imp_?qt_metacast@MediaObj
ect@Phonon@@UAEPAXPBD@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: virt
ual int __thiscall Phonon::MediaObject::qt_metacall(enum QMetaObject::Call,int,void * *)" (__imp_?
qt_metacall@MediaObject@Phonon@@
UAEHW4Call@QMetaObject@@HPAPAX@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: virt
ual struct QMetaObject const * __thiscall Phonon::VideoWidget::metaObject(void) const" (__imp_?met
aObject@VideoWidget@Phonon@@UBEP
BUQMetaObject@@@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: virt
ual void * __thiscall Phonon::VideoWidget::qt_metacast(char const *)" (__imp_?qt_metacast@VideoWid
get@Phonon@@UAEPAXPBD@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) public: virt
ual int __thiscall Phonon::VideoWidget::qt_metacall(enum QMetaObject::Call,int,void * *)" (__imp_?
qt_metacall@VideoWidget@Phonon@@
UAEHW4Call@QMetaObject@@HPAPAX@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) protected: v
irtual bool __thiscall Phonon::VideoWidget::event(class QEvent *)" (__imp_?event@VideoWidget@Phono
n@@MAE_NPAVQEvent@@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__
declspec(dllimport) protected: v

```

```
virtual void __thiscall Phonon::VideoWidget::mouseMoveEvent(class QMouseEvent *)" (__imp_?mouseMoveEvent@VideoWidget@Phonon@@MAEXPAVQMouseEvent@@@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: virtual struct QMetaObject const * __thiscall Phonon::AudioOutput::metaObject(void) const" (__imp_?metaObject@AudioOutput@Phonon@@UBEPBUQMetaObject@@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: virtual void * __thiscall Phonon::AudioOutput::qt_metacast(char const *)" (__imp_?qt_metacast@AudioOutput@Phonon@@UAEPAXPBD@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: virtual int __thiscall Phonon::AudioOutput::qt_metacall(enum QMetaObject::Call,int,void * *)" (__imp_?qt_metacall@AudioOutput@Phonon@@UAEHW4Call@QMetaObject@@HPAPAX@Z)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: virtual void __thiscall Phonon::AudioOutput::~~AudioOutput(void)" (__imp_??1AudioOutput@Phonon@@UAE@XZ)".
QtWebKit.lib(MediaPlayerPrivatePhonon.obj) : error LNK2001: Nicht aufgelöstes externes Symbol "__declspec(dllimport) public: virtual void __thiscall Phonon::VideoWidget::~~VideoWidget(void)" (__imp_??1VideoWidget@Phonon@@UAE@XZ)".
..\quassel.exe : fatal error LNK1120: 39 nicht aufgelöste externe Verweise.
LINK failed. with 2
NMAKE : fatal error U1077: "C:\Programme\CMake 2.6\bin\cmake.exe": Rückgabe-Code "0xffffffff"
Stop.
NMAKE : fatal error U1077: "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe": Rückgabe-Code "0x2"
Stop.
NMAKE : fatal error U1077: "C:\Programme\Microsoft Visual Studio 8\VC\BIN\nmake.exe": Rückgabe-Code "0x2"
Stop.
```

Related issues:

Related to Quassel IRC - Bug #578: Build Quassel + qt 4.5.0-rc1 + Windows

Closed

02/23/2009

History

#1 - 02/16/2010 12:09 PM - Sputnik

- Status changed from Confirmed to Resolved
- Assignee set to seezer
- Target version set to 0.6.0
- % Done changed from 0 to 100

Fixed in <http://git.quassel-irc.org/?p=quassel.git;a=commit;h=3006bf7e7daf1c59b39600b198d746559aaa3bef>