

Quassel IRC - Bug #984

Input Widet does not clear if command changes active buffer

06/03/2010 03:36 PM - Topy44

Status:	Resolved	Start date:	06/03/2010
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:	Quassel Client	Estimated time:	0.00 hour
Target version:	0.7.4	OS:	Any
Version:	0.8-pre		
Description			
If a command issued changes the active buffer, for example <code>/join #channel</code> or <code>/query nickname</code> , and "Input Widget/Enable per chat history" is checked, the Input Widget does not clear in the buffer that was active when the command was entered.			
Example: [#channel is active buffer] <code>/query nickname</code> [query with "nickname" opens] Change back to #channel buffer Input Widget contains <code>/query nickname</code>			
Checked with win32 0.7-pre+86 git-2118039 Bug introduced with introduction of the "Enable per chat history" feature.			

Associated revisions

Revision 2ed35d8a6322e49ab604472a7af59592cf36ae12 - 01/22/2012 09:12 PM - Manuel Nickschas

Fix #984 without breaking topic input

Queued connection ensures that the textEdit is already reset() when InputWidget does its thing, thus solving the history issues.

Approved by Tucos reading it 10 times. :->

Revision 2ed35d8a - 01/22/2012 09:12 PM - Manuel Nickschas

Fix #984 without breaking topic input

Queued connection ensures that the textEdit is already reset() when InputWidget does its thing, thus solving the history issues.

Approved by Tucos reading it 10 times. :->

Revision c79746f6919a90688571d5bd2d2fdf1c4a31b628 - 01/22/2012 09:14 PM - Manuel Nickschas

Fix #984 without breaking topic input

Queued connection ensures that the textEdit is already reset() when InputWidget does its thing, thus solving the history issues.

Approved by Tucos reading it 10 times. :->

Revision c79746f6 - 01/22/2012 09:14 PM - Manuel Nickschas

Fix #984 without breaking topic input

Queued connection ensures that the textEdit is already reset() when InputWidget does its thing, thus solving the history issues.

Approved by Tucos reading it 10 times. :->

History

#1 - 06/07/2010 11:51 PM - flamingspinach

Replicated.

#2 - 09/06/2010 11:02 AM - flamingspinach

I can no longer replicate this. Must have been fixed at some point.

#3 - 09/06/2010 11:17 AM - flamingspinach

Disregard that. I can replicate this with commands that switch the buffer to another, existent buffer, but not when the command creates the new buffer before switching to it.

#4 - 09/14/2010 06:32 PM - brot

I can confirm this with v0.8-pre (0.8-pre+3 git-e7e5830)

The easiest way to reproduce is to open a query with \$user and then write "/query \$user" into an active buffer.

I will look into that, but i cant promise i can fix it ;)

#5 - 01/20/2012 07:39 PM - johu

- Status changed from *New* to *Confirmed*
- Target version set to *0.8.0*
- Version changed from *0.6-pre* to *0.8-pre*

#6 - 01/20/2012 07:43 PM - johu

- Status changed from *Confirmed* to *Resolved*

see [b56a8712](#)

#7 - 01/21/2012 08:44 PM - johu

- Target version changed from *0.8.0* to *0.7.4*